

UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

SERIAL NUMBER	FILING DATE	FIRST NAMED INVENTOR			ATTORNEY DOCKET NO.
08/295,686	08/24/94	NISHIDA		н	52433354
				SLUBY, P	EXAMINER
		15N1/0324			
EDWARD W. G				ART UNIT	PAPER NUMBER
KENYON & KE ONE 'BROADWA					6
NEW YORK, N				1509	
				DATE MAILED:	03/24/95
This is a communication COMMISSIONER OF PA		charge of your application. EMARKS			
	•				
This application has	been examined	Responsive to communic	cation filed on		This action is made final.
A shortened statutory pe Failure to respond within	eriod for response to the the period for respon	his action is set to expire nse will cause the application t	month(s), to become abandon	daye fro	om the date of this letter.
Part I THE FOLLOWIN	NG ATTACHMENT(S) ARE PART OF THIS ACTIO	N:		
1 Notice of Ref	erences Cited by Exa	miner PTO-892	2 X Notic	ce of Draftsman's Pa	atent Drawing Review, PTO-948.
3. Notice of Art			_		Application, PTO-152.
		ring Changes, PTO-1474.	6. 🔲		······································
Part II SUMMARY OF	ACTION				
1. Claims	9				_ are pending in the application.
•					
Of the abo	ove, claims			are	withdrawn from consideration.
2. Claims					_ have been cancelled.
3. Claims					are allowed.
4. X Claims	1-9				are rejected.
5. Claims					are objected to.
6. Claims			ar	e subject to restriction	on or election requirement.
7. This application	has been filed with in	nformal drawings under 37 C.F	R. 1.85 which are	acceptable for exam	ination purposes.
8. Formal drawings	s are required in resp	onse to this Office action.			
		have been received on e (see explanation or Notice of			
 · ·		e sheet(s) of drawings, filed on aminer (see explanation).		. has (have) been	□ approved by the
		d, ha		_	
		m for priority under 35 U.S.C.			received not been received
	* * *	in condition for allowance exc x parte Quayle, 1935 C.D. 11;	•	ers, prosecution as to	o the merits is closed in
14. Other					

Serial No. 08/295,686

Art Unit 1509

The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

The preliminary amendments of August 24, 1994 and of November 9, 1994 have been received and entered.

The following is a quotation of 35 U.S.C. § 103 which forms the basis for all obviousness rejections set forth in this Office action:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Subject matter developed by another person, which qualifies as prior art only under subsection (f) or (g) of section 102 of this title, shall not preclude patentability under this section where the subject matter and the claimed invention were, at the time the invention was made, owned by the same person or subject to an obligation of assignment to the same person.

Claims 1-4, drawn to a process for producing an easy-open can lid, and claims 5-8, drawn to an easy-open can lid, and claim 9, drawn to a resin laminated metal sheet for an easy-open can lid, are rejected under 35 U.S.C. § 103 as being unpatentable over Oyagi et al. (5,348,809), Leyre et al. (5,234,123) or Iioka et al. (5,131,556) taken with Matsubayashi et al. (4,887,732).

Serial No. 08/295,686

Art Unit 1509

In reference to the resin laminated metal sheet, applicants are referred to each of the former references which clearly teached a laminated sheet comprised of a metal or surface treated metal that is laminated with a polyester resin film. The thickness parameters are clearly disclosed (note Oyagi, column 2 to column 3, Iioka, column 7, for example and Leyre, column 1, for example). The use of a crystalline polyester appears to be a matter of judicious choice as biaxially drawn polyester film can be utilized or linear thermoplastic polyester as taught in Oyaqi et al. (see column 6). These references are also directed to a metal laminated sheet that is used for a can lid. Therefore the instant references anticipate the use of the laminated metal sheet for an easy-open can lid. The latter reference is directed to a process for making the lid whereby a coated metal blank that has polyester coated onto metal, for example in which the lid has an opening score to define a portion to be opened (note column 3 at line 44 et seq.). Moreover, Oyaqi et al. also teaches that the can lid opening having a tear-along groove is extruded and processed to form the tear-along groove by composite co-forming. Accordingly, it would be obvious to modify the grooving technique and thickness limitations because the instant references teach as notorious the ability to process according to the desired results and the desirability of providing the opening to suit the need.

A facsimile center has been established in Crystal Mall 1, Room 7C03. The hours of operation are Monday through Friday,

Serial No. 08/295,686

Art Unit 1509

8:45 A.M. to 4:45 P.M. The telecopier number for accessing the facsimile machine is (703) 308-0039. This new location should be used in all instances when faxing any correspondence to Group 1500. Use of the new Crystal Mall 1 center will facilitate rapid delivery of materials to the Group. The faxing of all papers must conform with the notice published in the Official Gazette, 1096 O.G. 30 (November 15, 1989).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Sluby whose telephone number is (703) 308-2351. Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-2351.

PCSluby:cdc

3-16-95

P. C. SLUBY
PRIMARY EXAMINER
GROUP 1500

Tolluby